

Refine Search

Search Results -

Terms	Documents
L4 not L5	45

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7  

Search History

DATE: Monday, November 21, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L7</u>	l4 not l5	45	<u>L7</u>
<u>L6</u>	l4 not l3	0	<u>L6</u>
<u>L5</u>	l2 same L3	3	<u>L5</u>
<u>L4</u>	l2 and L3	48	<u>L4</u>
<u>L3</u>	backup or (back\$4 adj up)	220571	<u>L3</u>
<u>L2</u>	check\$4 with l1	290	<u>L2</u>
<u>L1</u>	"user's" near3 authoriz\$5	10648	<u>L1</u>

END OF SEARCH HISTORY

[First Hit](#) [Previous Doc](#) [Next Doc](#) [Go to Doc#](#)
End of Result Set

☐ [Generate Collection](#) [Print](#)

L9: Entry 1 of 1

File: PGPB

Jun 17, 2004

DOCUMENT-IDENTIFIER: US [20040117615](#) A1

TITLE: Granting access rights to unattended software

Pre-Grant Publication (PGPub) Document Number:
20040117615

Detail Description Paragraph:

[0034] Similarly, the client site 102 and access site 104 include components for communicating with each other and the subscriber and authorized user computers 106a, 106b through the network 112. The access site 104 and client site 102 respectively include server applications 110a,b and a client application 108. The server applications 110a, 110b are preferably network-based software applications. With network-based software applications, client computers communicate with application servers to perform the functionality associated with the software, as opposed to conventional client-based applications, wherein data is stored and processed locally on a computer. With network-based applications, subscriber data may be entirely stored on the server on which the application resides, such as the access site 104 server or one on which a server application separately resides. Alternatively, a subset of the subscriber data may be stored on such a server, with other subscriber data being stored on the subscriber's computer. Still further, redundant storage of subscriber data may entail processing of a version of subscriber data that is periodically sent to another server for back up purposes.



Detail Description Paragraph:

[0039] A client application 108 accesses a server application 110a on behalf of a subscriber. For a given client application 108, a subscriber operates the subscriber computer 106a to grant particular access rights to the client application 108. The subscriber may also require a login security mode, wherein an "authorized user" must submit login credentials in order for the client application to exercise the access rights. The authorized user may be any person that is registered with the server application for the subscriber, or a set of particular authorized users may be selected, such as through a conventional check off box based interface.

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	17 and 18	 
--------------	-----------	--

Display:	<input type="text" value="15"/>	Documents in Display Format:	<input type="text" value="-"/>	Starting with Number	<input type="text" value="1"/>
-----------------	---------------------------------	-------------------------------------	--------------------------------	-----------------------------	--------------------------------

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search History

DATE: Monday, November 21, 2005 [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=NO; OP=ADJ</i>			
<u>L9</u>	17 and 18	1	<u>L9</u>
<u>L8</u>	20040117615	2	<u>L8</u>
<u>L7</u>	14 not 15	45	<u>L7</u>
<u>L6</u>	14 not 13	0	<u>L6</u>
<u>L5</u>	12 same L3	3	<u>L5</u>
<u>L4</u>	12 and L3	48	<u>L4</u>
<u>L3</u>	backup or (back\$4 adj up)	220571	<u>L3</u>
<u>L2</u>	check\$4 with 11	290	<u>L2</u>
<u>L1</u>	"user's" near3 authoriz\$5	10648	<u>L1</u>

END OF SEARCH HISTORY